

**TEST PAPER OF JEE(MAIN) EXAMINATION – 2019**
**(Held On Friday 11<sup>th</sup> JANUARY, 2019) TIME : 9 : 30 AM To 12 : 30 PM**
**CHEMISTRY**

1. For the cell  $Zn(s) | Zn^{2+}(aq) \parallel M^{x+}(aq) | M(s)$ , different half cells and their standard electrode potentials are given below :

$M^{x+}(aq)/M(s)$	$Au^{3+}(aq)/Au(s)$	$Ag^+(aq)/Ag(s)$	$Fe^{3+}(aq)/Fe^{2+}(aq)$	$Fe^{2+}(aq)/Fe(s)$
$E_{M^{x+}/M}^o$	1.40	0.80	0.77	-0.44

If  $E_{Zn^{2+}/Zn}^o = -0.76V$ , which cathode will give a maximum value of  $E_{cell}^o$  per electron transferred ?

(1)  $Fe^{3+} / Fe^{2+}$       (2)  $Ag^+ / Ag$   
 (3)  $Au^{3+} / Au$       (4)  $Fe^{2+} / Fe$

**Ans. (2)**

2. The correct match between items-I and II is :

<i>Item-I</i>	<i>Item-II</i>
( <i>Mixture</i> )	( <i>Separation method</i> )
(A) $H_2O$ : Sugar	(P) Sublimation
(B) $H_2O$ : Aniline	(Q) Recrystallization
(C) $H_2O$ : Toluene	(R) Steam distillation
	(S) Differential extraction
(1) A-Q, B-R, C-S	(2) A-R, B-P, C-S
(3) A-S, B-R, C-P	(4) A-Q, B-R, C-P

**Ans. (1)**

- Sol. (*Mixture*)      (*Separation method*)

$H_2O$  : Sugar  $\Rightarrow$  Recrystallization  
 $H_2O$  : Aniline  $\Rightarrow$  Steam distillation  
 $H_2O$  : Toluene  $\Rightarrow$  Differential extraction

3. If a reaction follows the Arrhenius equation, the plot  $\ln k$  vs  $\frac{1}{(RT)}$  gives straight line with a gradient (-y) unit. The energy required to activate the reactant is :
- (1) y unit      (2) -y unit  
 (3) yR unit      (4) y/R unit

**Ans. (1)**



4. The concentration of dissolved oxygen (DO) in cold water can go upto :

- (1) 10 ppm      (2) 14 ppm  
 (3) 16 ppm      (4) 8 ppm

**Ans. (1)**

Sol. In cold water, dissolved oxygen (DO) can reach a concentration upto 10 ppm

5. The major product of the following reaction is:


**Ans. (2)**
**Sol.**



6. Th correct statements among (a) to (d) regarding  $H_2$  as a fuel are :

- (a) It produces less pollutant than petrol  
 (b) A cylinder of compressed dihydrogen weighs ~ 30 times more than a petrol tank producing the same amount of energy  
 (c) Dihydrogen is stored in tanks of metal alloys like  $NaNi_5$   
 (d) On combustion, values of energy released per gram of liquid dihydrogen and LPG are 50 and 142 kJ, respectively
- (1) b and d only      (2) a, b and c only  
 (3) b, c and d only      (4) a and c only

**Ans. (2)**


Sol. Option (a), (b) & (c) are correct answer (NCERT THEORY BASED)

7. The major product of the following reaction is:



**Ans.** (1)

**Sol.**



8. The element that usually does not show variable oxidation states is :

- (1) V      (2) Ti      (3) Sc      (4) Cu

**Ans.** (3)

**Sol.** Usually Sc(Scandium) does not show variable oxidation states.

Most common oxidation states of :

- (i) Sc : +3
- (ii) V : +2, +3, +4, +5
- (iii) Ti : +2, +3, +4
- (iv) Cu : +1, +2

9. An organic compound is estimated through Dumas method and was found to evolve 6 moles of  $\text{CO}_2$ . 4 moles of  $\text{H}_2\text{O}$  and 1 mole of nitrogen gas. The formula of the compound is :


- (1)  $\text{C}_{12}\text{H}_8\text{N}$       (2)  $\text{C}_{12}\text{H}_8\text{N}_2$   
 (3)  $\text{C}_6\text{H}_8\text{N}$       (4)  $\text{C}_6\text{H}_8\text{N}_2$

**Ans.** (4)


**Sol.**  $[\text{C}_x\text{H}_y\text{N}_z] \xrightarrow{\text{Duma Method}} 6\text{CO}_2 + 4\text{H}_2\text{O} + \text{N}_2$

Hence,  $\text{C}_6\text{H}_8\text{N}_2$


10. The major product of the following reaction is :



**Ans.** (2)




11. Among the following compound which one is found in RNA ?




**Ans.** (3)

**Sol.** For the given structure 'uracil' is found in RNA



12. Which compound(s) out of the following is/are not aromatic?



- (A) (B) (C) (D)  
 (1) C and D  
 (2) B, C and D  
 (3) A and C  
 (4) B

**Ans.** (2)

**Sol.** out of the given options only is aromatic.

Hence (B), (C) and (D) are not aromatic

13. The correct match between Item(I) and Item(II) is:

Item-I	Item-II
(A) Nortehindrone	(P) Anti-biotic
(B) Ofloxacin	(Q) Anti-fertility
(C) Equanil	(R) Hypertension
	(S) Analgesics
(1) A-R, B-P, C-S	(2) A-Q, B-P, C-R
(3) A-R, B-P, C-R	(4) A-Q, B-R, C-S

**Ans.** (2)

**Sol.** (A) Norethindrone – Antifertility

(B) Ofloxacin – Anti-Biotic

(C) Equanil – Hypertension (traiquilizer)


14. Heat treatment of muscular pain involves radiation of wavelength of about 900 nm. Which spectral line of H-atom is suitable for this purpose?

$$[R_H = 1 \times 10^5 \text{ cm}^{-1}, h = 6.6 \times 10^{-34} \text{ Js}, c = 3 \times 10^8 \text{ ms}^{-1}]$$

- (1) Paschen,  $5 \rightarrow 3$       (2) Paschen,  $\infty \rightarrow 3$   
 (3) Lyman,  $\infty \rightarrow 1$       (4) Balmer,  $\infty \rightarrow 2$

**Ans.** (2)

15. Consider the reaction,



The equilibrium constant of the above reaction is  $K_p$ . If pure ammonia is left to dissociate, the partial pressure of ammonia at equilibrium is given by (Assume that  $P_{\text{NH}_3} \ll P_{\text{total}}$  at equilibrium)

(1) $\frac{\frac{3}{2} K_p^{\frac{1}{2}} P^2}{4}$	(2) $\frac{\frac{3}{2} K_p^{\frac{1}{2}} P^2}{16}$
(3) $\frac{K_p^{\frac{1}{2}} P^2}{16}$	(4) $\frac{K_p^{\frac{1}{2}} P^2}{4}$

**Ans.** (2)

16. Match the ores(Column A) with the metals (column B):

Column-A Ores	Column-B Metals
(I) Siderite	(a) Zinc
(II) Kaolinite	(b) Copper
(III) Malachite	(c) Iron
(IV) Calamine	(d) Aluminium
(1) I-b ; II-c ; III-d ; IV-a	
(2) I-c ; II-d ; III-a ; IV-b	
(3) I-c ; II-d ; III-b ; IV-a	
(4) I-a ; II-b ; III-c ; IV-d	

**Ans.** (3)

**Sol.** Siderite :  $\text{FeCO}_3$

Kaolinite :  $\text{Al}_2(\text{OH})_4\text{Si}_2\text{O}_5$


Malachite :  $\text{Cu}(\text{OH})_2\text{CuCO}_3$

Calamine :  $\text{ZnCO}_3$

17. The correct order of the atomic radii of C, Cs, Al and S is :

- (1)  $\text{S} < \text{C} < \text{Al} < \text{Cs}$       (2)  $\text{S} < \text{C} < \text{Cs} < \text{Al}$   
 (3)  $\text{C} < \text{S} < \text{Cs} < \text{Al}$       (4)  $\text{C} < \text{S} < \text{Al} < \text{Cs}$

**Ans.** (4)



Atomic radii order :  $\text{C} < \text{S} < \text{Al} < \text{Cs}$

Atomic radius of C : 170 pm

Atomic radius of S : 180 pm

Atomic radius of Al : 184 pm

Atomic radius of Cs : 300 pm

- 18.** Match the metals (Column I) with the coordination compound(s) / enzyme(s) (Column II)

<b>Column-I</b>	<b>Column-II</b>
<b>Metals</b>	<b>Coordination compound(s) / Enzyme(s)</b>

- |        |                               |
|--------|-------------------------------|
| (A) Co | (i) Wilkinson catalyst        |
| (B) Zn | (ii) Chlorophyll              |
| (C) Rh | (iii) Vitamin B <sub>12</sub> |
| (D) Mg | (iv) Carbonic anhydrase       |

(1) A-ii ; B-i ; C-iv ; D-iii  
 (2) A-iii ; B-iv ; C-i ; D-ii  
 (3) A-iv ; B-iii ; C-i ; D-ii  
 (4) A-i ; B-ii ; C-iii ; D-iv

**Ans. (2)**


**Sol.**

- (i) Wilkinson catalyst :  $\text{RhCl}(\text{PPh}_3)_3$
- (ii) Chlorophyll :  $\text{C}_{55}\text{H}_{72}\text{O}_5\text{N}_4\text{Mg}$
- (iii) Vitamin B<sub>12</sub>(also known as cyanocobalamin) contain cobalt.
- (iv) Carbonic anhydrase contains a zinc ion.




**Ans. (1)**

- 20.** The major product of the following reaction is :



**Ans. (1)**

Sol.



- 21.** Two blocks of the same metal having same mass and at temperature  $T_1$  and  $T_2$ , respectively. are brought in contact with each other and allowed to attain thermal equilibrium at constant pressure. The change in entropy,  $\Delta S$ , for this process is :

$$(1) \quad 2C_p \ln\left(\frac{T_1 + T_2}{4T_1 T_2}\right) \quad (2) \quad 2C_p \ln\left[\frac{(T_1 + T_2)^{\frac{1}{2}}}{T_1 T_2}\right]$$

$$(3) \quad C_p \ln \left[ \frac{(T_1 + T_2)^2}{4T_1 T_2} \right] \quad (4) \quad 2C_p \ln \left[ \frac{T_1 + T_2}{2T_1 T_2} \right]$$

Ans. (3)

